



Weber[®]
BRUSH SYSTEMS

Overview 2024

SINCE 1894



OF BRUSH TRADITION

WeedLine

Brushes and accessories for trimmers

Weedgo!



Weedgo!QuickPro starter set without protective cover

Article no.	Description	Comment
292690.000000	starter set Weedgo!QuickPro incl. 6 bunches	mounting bracket 25,4 mm/20 mm

i Weedgo!QuickPro is suitable for trimmers from 2.5 hp (1.8 kW).

Weedgo!QuickPro spare parts



Pic.	Article no.	Description	Comment
1	542525.862000	weed bunch for Weedgo!QuickPro steel wire rope	unit of 12 pieces!
2	542525.180000	weed bunch for Weedgo!QuickPro, WIKRALON®	unit of 12 pieces!



Weedgo!Two starter set without protective cover

Article no.	Description	Comment
292750.000000	starter set Weedgo!Two incl. 4 bunches	mounting bracket 25,4 mm/20 mm

i Weedgo!Two is suitable for trimmers with at least 1.36 hp (1.0 kW) and max. 2.7 hp (2.0 kW).

Weedgo!Two spare parts



Pic.	Article no.	Description	Comment
1a	542507.867000	weed bunch for Weedgo!Two steel wire rope	unit of 8 pieces!
2a	542507.180000	weed bunch for Weedgo!Two, WIKRALON®	unit of 8 pieces!



until 2021



Weedgo!Pro spare parts (model until 2021)

Pic.	Article no.	Description	Comment
1b	542500.862000	weed bunch for Weedgo!Pro steel wire rope, also fitting Armigo	unit of 12 pieces!
2b	542500.180000	weed bunch for Weedgo!Pro WIKRALON®, also fitting Armigo	unit of 12 pieces!
3	292599.000000	installation wrench for starter set Weedgo!Pro	

i WIKRALON® is a specially developed plastic bristle for weed removal. Compared to the robust steel bunches, WIKRALON® protects delicate surfaces. This special tool may not be operated at full speed.



Patent: EP 2 241 173 B1

Weedgo! protective cover „BlackProtect“

black, reinforced design with flap for opening. Please check trimmer shaft diameter!

Article no.	Description	Comment
299502.000026	protective cover „BlackProtect“	shaft 26 mm, e.g. Stihl
299502.000028	protective cover „BlackProtect“	shaft 28 mm, e.g. Stihl
299502.000030	protective cover „BlackProtect“	shaft 30 mm, e.g. Solo 142
299502.000032	protective cover „BlackProtect“	shaft 32 mm, e.g. Efco, Dolmar
299502.000035	protective cover „BlackProtect“	shaft 35 mm, e.g. Stihl FS 550
299502.000036	protective cover „BlackProtect“	shaft 36 mm, e.g. Husqvarna
299502.000038	protective cover „BlackProtect“	shaft 38 mm, e.g. Stihl FS 560



Weedgo! protective cover spare parts

Pic.	Article no.	Description
3	299002.000000	flexible brush strip, 995 x 25 mm for ClearProtect and BlackProtect until 2019
4	299005.000000	flexible brush strip, 280 x 25 mm for ClearProtect and BlackProtect until 2019
3	299021.000000	flexible brush strip, 995 x 25 mm, with drilled retaining holes for BlackProtect from 2019
4	299022.000000	flexible brush strip, 280 x 25 mm, with drilled retaining holes for BlackProtect from 2019



Mobile protective wall 2-part, with aluminum frame

Pic.	Article no.	Description
5	294003.000000	2-part protective wall with aluminum frame, heavy version 4000 x 950 mm with blue protective mesh
6	294014.000000	attachable warning mark red/white for heavy version 294003.000000
7	294015.000000	foldable protective wall, 2400/800/2P, with green protective mesh and handles



Mobile protective wall 3-part, light version

Pic.	Article no.	Description
8	294011.000000	3-part standard protective wall, red/white, light version 3 panels, 1130 x 1030 mm per panel



Classic-S brushcutter head

Article no.	Description
293030.000000	Classic-S brushcutter head incl. inner LH thread M12 x 1,5



EasyWork brushcutter head

Article no.	Description
293000.000000	with reinforced aluminum push button, incl. inner LH threads 12 x 1,5 mm and 10 x 1 mm, fitting e.g. STIHL, Dolmar and Solo, Ø 130 mm
293001.000001	threaded bushing M 12 x 1,75 „female“ left-hand thread, e.g. Husqvarna
293001.000002	threaded bushing M 10 x 1,25 „female“ left-hand thread e.g. Husqvarna

EasyWork:
Fast thread change
without insertion tool!



EasyWork accu brushcutter head suitable for accu trimmers

Article no.	Description
293040.000000	incl. inner LH threads 12 x 1,5 mm and 10 x 1 mm
293001.000000	threaded bushing M 10 x 1,0 „female“ left-hand thread

Professional brushcutter head



Article no.	Description
292520.000000	universal model, without threaded bushing
292540.000000	inner LH thread 8 x 1,25 mm, e.g. Tiger
292541.000000	inner LH thread 10 x 1,0 mm, e.g. STIHL
292542.000000	inner LH thread 10 x 1,25 mm, e.g. Echo, Honda, Husqvarna, Tiger
292543.000000	inner LH thread 12 x 1,5 mm, e.g. STIHL, Dolmar und Solo
292544.000000	inner LH thread 12 x 1,75 mm, e.g. Husqvarna Standard



Professional brushcutter head large

Article no.	Description
292548.000000	e.g. STIHL, inner LH thread 12 x 1,5 mm, large model

i Spare parts are available for all brushcutter heads listed above!



Tap & Go DUO Mini brushcutter head




Article no.	Description
293101.000000	2-thread brushcutter head, Ø 120 mm, max. thread-Ø 2 mm, inner LH thread M8 x 1,25 mm



Quattro brushcutter head




Article no.	Description
293102.000000	4-thread brushcutter head, Ø 148 mm incl. inner LH thread 10 x 1,0 mm, inner LH thread 10 x 1,25 mm, inner LH thread 12 x 1,5 mm and inner LH thread 12 x 1,75 mm



3-blade mower head




Pic.	Article no.	Description
1	293106.000000	Ø 300 mm, with 3 movable plastic blades, mounting bracket 25,4 / 20,0 mm, incl. 12 spare blades
2	293106.000001	Spare blades for 3-blade mower head, 12 pieces



Maxi Combi brushcutter head



Pic.	Article no.	Description
1	293103.000000	Boltless mounting, for brushcutters with angular gear and at least 40 cc, mounting bracket 25.4 mm/20 mm, incl. 3 threads
2	293104.000000	Brush plate for Maxi Combi brushcutter head, incl. 8 threads



Thread brush

Pic.	Article no.	Description	Comment
1	292596.000000	Thread brush large, aluminum head Ø 120 mm with 36 threads, thread size 3.0 mm	for trimmers from 30 ccm
2	292597.000000	Thread brush small, aluminum head Ø 80 mm with 16 threads, thread size 3.0 mm	for trimmers up to 30 ccm



Line packs (30 pcs.) for Aloï brushcutter head universal and Thread brush

Article no.	Description	Comment
292559.000000	orange / 3,0 mm round / 360 mm	
292585.000000	orange / 4,0 mm round / 360 mm	
292557.000000	orange / 3,0 mm square / 360 mm	
292558.000000	orange / 4,0 mm square / 360 mm	not suitable for thread brushes!



Line packs (50 pcs.) for Thread brush

Article no.	Description	Comment
292598.000000	blue / 3,0 mm square / 380 mm	suitable for thread brushes 292596 and 292597

Professional nylon thread 0,5 kg



Article no.	Description
292600.000000	violet, blister pack 0,5 kg / 2,4 mm round / 100 m
292606.000000	violet, blister pack 0,5 kg / 2,7 mm round / 88 m
292601.000000	violet, blister pack 0,5 kg / 3,0 mm round / 67 m
292602.000000	violet, blister pack 0,5 kg / 2,4 mm square / 88 m
292607.000000	violet, blister pack 0,5 kg / 2,7 mm square / 77 m
292603.000000	violet, blister pack 0,5 kg / 3,0 mm square / 56 m
292604.000000	violet, blister pack 0,5 kg / 2,7 mm saw tooth / 67 m

Professional nylon thread 2 kg



Article no.	Description
292610.000000	violet, coil 2,0 kg / 2,4 mm round / 400 m
292616.000000	violet, coil 2,0 kg / 2,7 mm round / 352 m
292611.000000	violet, coil 2,0 kg / 3,0 mm round / 268 m
292612.000000	violet, coil 2,0 kg / 2,4 mm square / 352 m
292617.000000	violet, coil 2,0 kg / 2,7 mm square / 308 m
292613.000000	violet, coil 2,0 kg / 3,0 mm square / 224 m
292614.000000	violet, coil 2,0 kg / 2,7 mm saw tooth / 268 m

! NOTE: Our range does not include matching brushcutter heads for the following threads!

292615.000000	violet, coil 2,0 kg / 3,3 mm saw tooth / 196 m
292633.000000	violet, coil 2,0 kg / 4,0 mm saw tooth / 128 m

Professional nylon thread 10 kg



Article no.	Description
292620.000000	violet, coil 10,0 kg / 2,4 mm round / 2000 m
292626.000000	violet, coil 10,0 kg / 2,7 mm round / 1760 m
292621.000000	violet, coil 10,0 kg / 3,0 mm round / 1340 m
292622.000000	violet, coil 10,0 kg / 2,4 mm square / 1760 m
292627.000000	violet, coil 10,0 kg / 2,7 mm square / 1440 m
292623.000000	violet, coil 10,0 kg / 3,0 mm square / 1120 m
292624.000000	violet, coil 10,0 kg / 2,7 mm saw tooth / 1340 m

! NOTE: Our range does not include matching brushcutter heads for the following thread!

292634.000000	violet, coil 10,0 kg / 4,0 mm saw tooth / 640 m
---------------	-------------------------------------------------

WEEDSHOCK professional nylon thread

2 components / aggressive / extremely durable



Article no.	Description
292678.000000	coil 1,0 kg / 2,4 mm round / 180 m
292679.000000	coil 1,0 kg / 2,7 mm round / 140 m
292677.000000	coil 1,0 kg / 3,0 mm round / 120 m
292676.000000	coil 1,0 kg / 2,7 mm square / 180 m



WEEDSTAR professional nylon thread

Article no.	Description
292657.000000	coil 1,0 kg / 2,7 mm star shape / 188 m



ECO-S-Series 2 kg

Article no.	Description
292812.000000	ECO-S nylon thread green, coil 2,0 kg / 2,0 mm round / 576 m
292806.000000	ECO-S nylon thread orange, coil 2,0 kg / 2,4 mm round / 388 m
292808.000000	ECO-S nylon thread red, coil 2,0 kg / 2,7 mm round / 310 m
292810.000000	ECO-S nylon thread yellow, coil 2,0 kg / 3,0 mm round / 248 m
292807.000000	ECO-S nylon thread orange, coil 2,0 kg / 2,4 mm square / 358 m
292809.000000	ECO-S nylon thread red, coil 2,0 kg / 2,7 mm square / 282 m
292811.000000	ECO-S nylon thread yellow, coil 2,0 kg / 3,0 mm square / 228 m

POWERDRILL nylon thread

powerful / for higher speeds / low-noise



Pic.	Article no.	Description
1	292900.000000	Nylon thread PowerDrill, blister pack / 2,0 mm twisted / 98 m
1	292901.000000	Nylon thread PowerDrill, blister pack / 2,4 mm twisted / 70 m
1	292902.000000	Nylon thread PowerDrill, blister pack / 2,7 mm twisted / 56 m
1	292903.000000	Nylon thread PowerDrill, blister pack / 3,0 mm twisted / 44 m
2	292910.000000	Nylon thread PowerDrill, coil / 2,0 mm twisted / 489 m
2	292911.000000	Nylon thread PowerDrill, coil / 2,4 mm twisted / 348 m
2	292912.000000	Nylon thread PowerDrill, coil / 2,7 mm twisted / 280 m
2	292913.000000	Nylon thread PowerDrill, coil / 3,0 mm twisted / 220 m

POWERDRILL ALU nylon thread

copolymer thread with aluminium particles



Pic.	Article no.	Description
1	292921.000000	Nylon thread PowerDrill ALU, blister pack / 2,4 mm twisted / 70 m
1	292922.000000	Nylon thread PowerDrill ALU, blister pack / 2,7 mm twisted / 56 m
1	292923.000000	Nylon thread PowerDrill ALU, blister pack / 3,0 mm twisted / 44 m
2	292931.000000	Nylon thread PowerDrill ALU, coil / 2,4 mm twisted / 208 m
2	292932.000000	Nylon thread PowerDrill ALU, coil / 2,7 mm twisted / 167 m
2	292933.000000	Nylon thread PowerDrill ALU, coil / 3,0 mm twisted / 131 m



Conical wire brushes

suitable for trimmers from 1 hp (0.7 kW) up to max. 2.5 hp (1.8 kW)

Article no.	Description
430323.810000	165 x 20 mm with 32 wires, e.g. STIHL, Dolmar, Echo, Josered, Solo *
430322.810000	165 x 25,4 mm with 32 wires, e.g. Honda GX 31 *
430324.810000	200 x 20 mm with 36 wires, e.g. STIHL, Dolmar, Echo, Josered, Solo
430327.810000	200 x 25,4 mm with 36 wires, e.g. Honda GX 31

*When using the conical wire brushes with max. diameter 165 mm we recommend our protective cover **SmartProtect**



Sensitive conical brushes

suitable for trimmers from 1 hp (0.7 kW) up to max. 2.5 hp (1.8 kW)

Article no.	Description
430323.474000	165 x 20 mm, PBT star-shaped orange, e.g. STIHL, Dolmar, Echo, Josered, Solo *
430322.474000	165 x 25,4 mm, PBT star-shaped orange, e.g. Honda GX 31 *
430324.474000	200 x 20 mm, PBT star-shaped orange, e.g. STIHL, Dolmar, Echo, Josered, Solo
430327.474000	200 x 25,4 mm, PBT star-shaped orange, e.g. Honda GX 31

*When using the sensitive conical brushes with max. diameter 165 mm we recommend our protective cover **SmartProtect**

i Sensitive conical brushes are a special tool and may not be operated at full speed.



Patent:
EP 2 241 173 B1

Protective cover „SmartProtect“

for trimmers from 1 hp - use only in conjunction with conical brushes of max. Ø 165 mm

Article no.	Description
299200.000000	protective cover „SmartProtect“ incl. brush protector and blue handle incl. adaptor for shaft Ø 24, 26 and 28 mm



Gentle brush head „universal“

Pic.	Article no.	Description	Comment
1	253916.180000	Ø 161 mm, 3 rows WIKRALON®, bristle height 100 mm, universal mounting bracket 25,4 / 20,0 mm	for petrol trimmers
2	253917.180000	Ø 131 mm, 2 rows WIKRALON®, bristle height 100 mm, universal mounting bracket 25,4 / 20,0 mm	for accu trimmers

i Gentle brush heads are a special tool and may not be operated at full speed. Suitable for use with our protective cover **BlackProtect** (page 3).
For use with accu trimmers we recommend powerful battery packs.



Conical brush with brass-plated steel wire **NEW**

Article no.	Description
430340.880000	Ø 230 mm, brass-plated steel wire, crimped, mounting bracket 20.0 mm, e.g. STIHL, Dolmar, Echo, Josered, Solo
430341.880000	Ø 230 mm, brass-plated steel wire, crimped, mounting bracket 25.4 mm, e.g. STIHL, Dolmar, Echo, Josered, Solo



2-tooth mulching blade **NEW**

Pic.	Article no.	Description
1	292720.000000	straight form, length 300 mm, thickness 4 mm, mounting 20.0 mm
1	292721.000000	straight form, length 300 mm, thickness 4 mm, mounting 25.4 mm
2	292722.000000	S-shape, length 320 mm, thickness 4 mm, mounting 20.0 mm
2	292723.000000	S-shape, length 320 mm, thickness 4 mm, mounting 25.4 mm



Conical wire brush for single-axle machines **NEW**

Article no.	Description
430334.810000	350 x 30 mm with 56 wires, suitable e.g. for AS 30 Weedhex



Sweeping brush for the MultiSystem **NEW**

For quick cleaning of irregular surfaces, with counter-rotating direction of rotation

Article no.	Description	Comment
172661.385000	sweeping roller plastic body, 245 / 250 mm, suitable for STIHL KB-KM	2 pcs. required, s. picture
172742.385000	sweeping roller plastic body 240 / 250 mm suitable for Husqvarna BR600	2 pcs. required, s. picture



X-road broom „FegeFix®“ **NEW**

Lightweight broom with spring effect for irregular surfaces and joints. For handles with Ø 27 mm.

Article no.	Description
650022.480000	wooden sweeping bar, width 400 mm, 2 rows, bristle height 95 mm
650023.480000	wooden sweeping bar, width 600 mm, 2 rows, bristle height 95 mm

i Handmade by disabled people, supplied without handle.



Ear & Face Protection **NEW**

Article no.	Description
293105.000000	Padded headband and forehead support, mesh visor, for head size 52-63 cm. Standard according to DIN EN352-1 and EN173-1F, Ear protection EP106, CE approved.



ECOLINE Forestry Helmet **NEW**

Article no.	Description
293108.000000	Lightweight HDPE helmet shell with four-point internal harness, mesh visor, for head size 54-62 cm. Standard according to DIN EN89 and EN686, silencer EN352-3:2003. Complies with all current CE regulations.



General note: Wear appropriate protective clothing and goggles while working with trimmers. All model details are subject to change and may vary. Please always check the actual socket of the trimmer.

SALE! Only while stocks last.



TriRex thicket cutter

Article no.	Description
292685.000000	outer diameter 255 mm, inner hole 25,4 mm
292688.000000	outer diameter 255 mm, inner hole 20,0 mm
292686.000000	outer diameter 300 mm, inner hole 20,0 mm



ECO-S-Series 0,5 kg

Article no.	Description
292800.000000	ECO-S nylon thread orange, blister pack / 2,4 mm round / 90 m
292801.000000	ECO-S nylon thread orange, blister pack / 2,4 mm square / 70 m
292805.000000	ECO-S nylon thread yellow, blister pack / 3,0 mm square / 50 m

Weber Bürstensysteme GmbH

Administration, sales, development, production and customer service

Kleinmühle an der B8
65520 Bad Camberg
T +49 (0) 6434 91 25 - 0
F +49 (0) 6434 91 25 - 42

Schmölln office

Sales and production

Am Jägerfließ 4
04626 Schmölln-Nitzschka
T +49 (0) 34491 635 - 93
F +49 (0) 34491 635 - 94

Your local dealer:

